

Caliber Index of Tools

Caliber	Case Holder	Case Gage	Bullet Seater	Stainless Bullet Seater	Inside Neck Reamer	Primer Pocket Reamer	Base	Punch	Stainless Steel Neck Sizing Die	Bushing Type Full Length Sizing Die
17 Rem	All Cases	Reg.	X		17	0.175	380	17	X	
17 PPC	F/N		X		17	0.175	440	17	X	
17 MACH IV	F/N		X		17	0.175	380	17	X	
17 Ackley Hornet	All Cases		X		17	0.175	350	17	X	
17 Hornady Hornet	F/N	Reg.	X		17	0.175	350	17	X	
17 Javelina	All Cases		X		17	0.175	380	17	X	
17 Squirrel	F/N		X		17	0.175	350	17	X	
17 Fireball	All Cases	Reg.	X		17	0.175	380	17	X	
17 Tactical	F/N		X	X	17	0.175	380	17	X	
218 Bee	All Cases	Reg.	X		220	0.175	408	22	X	
219 Donaldson	All Cases	Reg.	X		220	0.210	506	22	X	
219 Zipper	All Cases	Reg.	X		22	0.210	506	22		
20 TNT/Practical	All Cases	223 Rem	X		20	0.175	380	17	223 Rem	
20 Vartarg	All Cases		X		20	0.175	380	17	X	
20 Vartarg Turbo	All Cases		X		20	0.175	380	17	X	
20 PPC	F/N	22 PPC	X		20	0.175	440	17 Spl	X	
20 BR	F/N	22 BR	X	X	20	0.175	475	17 Spl	X	
20 Tactical	F/N		X	X	20	0.175	380	17	X	
204 Ruger	F/N	Reg.	X	X	20	0.175	380	17	X	
22 Squirrel	F/N		X		220	0.175	350	22	X	
22 Hornet	All Cases	Reg.	X		22	0.175	350	22	X	
22 Savage	All Cases				220	0.210	506	22		
22 Rem. Jet	All Cases	Reg.	X		220	0.175	440	22	X	
22-250	All Cases	Reg.	X	X	220	0.210	475	22	X	X
22-250 Ackley Imp.	All Cases		X	X	220	0.210	475	22	X	
22 BR	F/N	Reg.	X	X	220	0.175	475	Spl.	X	X
22 PPC	F/N	Reg.	X	X	220	0.175	440	Spl.	X	X
22 Vartarg	All Cases		X		220	0.175	380	22	X	
22 Vartarg Turbo	All Cases		X		220	0.175	380	22	X	
220 Beggs			X		220	0.175	440	22	X	
220 Swift	All Cases	Reg.	X		220	0.210	475	22	X	
220 Wilson Arrow	All Cases	Reg.	X		220	0.210	475	22		
220 Russian	N		X		220	0.175	440	22	X	
220 Wby Rocket	All Cases				220	0.210	475	22		
221 Rem. F.B.	All Cases	Reg.	X		220	0.175	380	22	X	
222 Rem.	All Cases	Reg.	X	X	220	0.175	380	22	X	X
222 Rem. Mag.	All Cases	Reg.	X		220	0.175	380	22	X	
223 Rem	All Cases	Reg.	X	X	220	0.175	380	22	X	X
223 Ackley Imp.	All Cases		X		220	0.175	380	22	X	
223 WSSM	F/N	Reg.	X	X	220	0.175	545	22	X	
224 Wby. Mag.	All Cases	Adj.			220	0.210	440	Spl.		
225 Win	F/N	Reg.	X		220	0.210	475	22	X	
240 Wby. Mag	All Cases	Adj.			6mm	0.210	475	Spl.		
243 Win	F/N	Reg.	X	X	6mm	0.210	475	6mm	X	X
243 Ackley Imp.	All Cases		X	X	6mm	0.210	475	6mm	X	
243 WSSM	F/N	Reg.	X	X	6mm	0.210	545	6mm	X	
6mm - 244 Ackley	All Cases		X		6mm	0.210	475	6mm		
6mm - 244 Rem.	All Cases	Reg.	X		6mm	0.210	475	6mm	X	
6mm - 225 Win.	F/N		X		6mm	0.210	475	6mm		
6mm - 284	All Cases	284 Win	X		6mm	0.210	506	6mm	X	
6mm International	All Cases	Reg.	X		6mm	0.210	475	6mm	22-250	
6mm BR	F/N	Reg. Long	X	X	6mm	0.175	475	6 Spl.	X	X
6mm Beggs			X		6mm	0.175	440	6mm	X	
6mm PPC	F/N	Reg.	X	X	6mm	0.175	440	Spl.	X	X
6mm PPC OS	F/N		X	X	6mm	0.175	440	Spl.	X	X
6mm Dasher	All Cases	Reg.	X	X	6mm	0.175	475	6mm	X	X
6mm Vartarg Turbo	All Cases		X		6mm	0.175	380	Spl.	X	
6mm XC	F/N	Reg.	X	X	6mm	0.210	475	6mm	X	X
6 X 47	All Cases	Reg.	X		6mm	0.175	380	6mm	X	
6 X 47 Lapua	F/N	Reg.	X	X	6mm	0.175	475	6 Spl.	X	X
25-20	All Cases	Reg.			25	0.175	408	25		
25-35	All Cases	Reg.			25	0.210	506	25		
25 Rem	F/N				25	0.210	440	25		
250 Savage	All Cases	Reg.	X		25	0.210	475	25	X	

Caliber Index of Tools

Caliber	Case Holder	Case Gage	Bullet Seater	Stainless Bullet Seater	Inside Neck Reamer	Primer Pocket Reamer	Base	Punch	Stainless Steel Neck Sizing Die	Bushing Type Full Length Sizing Die
25 - 06	All Cases	Reg.	X		25	0.210	475	25	X	
256 Win Mag	All Cases	Reg.	X		25	0.175	440	25	X	
257 Roberts	All Cases	Reg.	X		25	0.210	475	25	X	
257 Ackley	All Cases		X	X	25	0.210	475	25	X	
257 Wby Mag	All Cases	Adj.			25	0.210	533	25		
25 WSSM	F/N	Reg.	X	X	25	0.210	545	25	X	
264 Win Mag	F/N	Adj.	X		6.5mm	0.210	533	25	X	
260 Rem	F/N	Reg.	X	X	6.5mm	0.210	475	25	X	X
260 Ackley	All Cases		X	X	6.5mm	0.210	475	25	X	
26 Nosler	All Cases		X	X	6.5mm	0.210	533	25	X	
6.5 Creedmoor	F/N	Reg.	X	X	6.5mm	0.210	475	25	X	X
6.5 Grendel	F/N	Reg.	X		6.5mm	0.175	440	25 Spl.	X	
6.5 BR	F/N		X	X	6.5mm	0.175	440	25 Spl.	X	X
6.5 X 47 Lapua	F/N	Reg.	X	X	6.5mm	0.175	475	25 Spl.	X	X
6.5 X 55 Norma	All Cases	Reg.	X		6.5mm	0.210	475	25	X	
6.5 Mannlicher	All Cases				6.5mm	0.210	460	25		
6.5 Rem. Mag.	All Cases	Adj.	X		6.5mm	0.210	533	25	X	
6.5 - 284	All Cases	284 Win	X	X	6.5mm	0.210	506	25	X	X
6.8 SPC	F/N	Reg.	X	X	270	0.210	425	25	X	X
270 Wby. Mag.	All Cases	Adj.			270	0.210	533	25		
270 Win.	All Cases	Reg.	X	X	270	0.210	475	25	X	
270 WSM	F/N	300 WSM	X	X	270	0.210	545	25	X	
7mm TCU	All Cases	Reg.	X		7mm	0.175	380	25	X	
7mm IHMSA	All Cases	Reg.	X		7mm	0.210	475	25	X	
7mm BR Rem.	F/N	Reg.	X		7mm	0.175	475	Spl.	X	X
7mm - 08	F/N	Reg.	X	X	7mm	0.210	475	25	X	X
7mm Mauser	All Cases	Reg.	X		7mm	0.210	475	25	X	
7mm Rem. Mag.	F/N	Adj.	X	X	7mm	0.210	533	25	X	
7mm STW	F/N	Adj. SPL	X		7mm	0.210	533	25	X	
7mm Wby. Mag.	All Cases	Adj.			7mm	0.210	533	25		
7mm RSAUM	F/N	300 RSAUM	X	X	7mm	0.210	545	25	X	2017
7mm WSM	F/N	Reg.	X	X	7mm	0.210	545	25	X	2017
7 X 61 S&H	All Cases	Adj.			7mm	0.210	533	25		
280 Rem	All Cases	Reg.	X		7mm	0.210	475	25	X	
28 Nosler	All Cases		X	X	7mm	0.210	533	25	X	
280 Ackley Imp.	All Cases		X		7mm	0.210	475	25	X	
284 Win.	All Cases	Reg.	X	X	7mm	0.210	506	25	X	2017
7.5 x 55	F/N				3085	0.210	506	30		
7.62 Russian	All Cases				30	0.210	583	30		
7.62 X 39	All Cases	Reg.	X		30	0.210	485	30	X	
30 Rem.	F/N				30	0.210	440	30		
300 AAC Blackout	F	Reg.	X	X	30	0.175	380	30	X	2017
30 - 30	F/N	Reg.	X		30	0.210	506	30	X	
30 M-1 Carbine	All Cases	C.Length			30	0.175	380	30		
300 Savage	F/N	Reg.	X		30	0.210	475	30	X	
30 Herrett	F/N				30	0.210	506	30		
30 IHMSA	All Cases		X	X	30	0.210	475	30	X	
30 Newton	All Cases				30	0.210	533	30		
30 X 44	All Cases		X		30	0.210	475	30	X	
30 X 47	All Cases		X	X	30	0.210	475	30	X	
30 X 1.8	All Cases		X	X	30	0.210	475	30	X	
30 - 06	All Cases	Reg.	X	X	30	0.210	475	30	X	2017
30 - 06 Ackley Imp.	All Cases		X		30	0.210	475	30	X	
30 - 338 win mag	F/N	Adj.	X		30	0.210	533	30		
30 - 348	All Cases				30	0.210	610	30		
30 - 40	All Cases	Reg.	X		30	0.210	545	30	X	
300 H&H Mag.	All Cases	Adj.	X		30	0.210	533	30		
300 Win. Mag.	F/N	Adj.	X	X	30	0.210	533	30	X	2017
300 Wby. Mag	All Cases	Adj.			30	0.210	533	30		
300 Ultra	All Cases	Reg.	X	X	30	0.210	533	30	X	
300 WSM	F/N	Reg.	X	X	30	0.210	545	30	X	2017
300 RSAUM	F/N	Reg.	X		30	0.210	545	30	X	2017
30 BR	F/N	Reg.	X	X	30	0.175	475	30	X	X

Caliber Index of Tools

Caliber	Case Holder	Case Gage	Bullet Seater	Stainless Bullet Seater	Inside Neck Reamer	Primer Pocket Reamer	Base	Punch	Stainless Steel Neck Sizing Die	Bushing Type Full Length Sizing Die
308 Baer			X		30	0.210	533	30	X	
308 Win.	F/N	Reg.	X	X	30	0.210	475	30	X	X
308 Norma Mag.	F/N	Adj.			30	0.210	533	30		
303 Savage	All Cases	Reg.			303	0.210	506	30		
303 British	All Cases	Reg.			303	0.210	545	30		
7.65 Belg. Mauser	All Cases	Reg.			303	0.210	475	30		
32 - 20	All Cases	Reg.			32	0.175	408	30		
32 Rem.	F/N				32	0.210	440	30		
32 Win. Special	F/N	Reg.			32	0.210	506	30		
32 H&R Mag	Q-type	Pistol				0.175	380	30		
32 - 40	All Cases	C.Length			32	0.210	506	30		
32 Auto	Q-type					0.175	380	30		
32 S&W	Q-type					0.175	380	30		
32 S&W Long	Q-type	Pistol				0.175	380	30		
325 WSM	F/N	Reg.	X		32	0.210	533	30	X	
327 Federal	Q-type	Pistol				0.175	380	30		
8mm Mauser	All Cases	Reg.			8mm	0.210	475	30		
8mm X 06	All Cases				8mm	0.210	475	30		
8mm Rem. Mag.	F/N	Adj.	X		8mm	0.210	533	30		
33 Win.	All Cases				33	0.210	610	30		
338 Win. Mag.	F/N	Adj.	X		33	0.210	533	30	X	
338 Lapua	All Cases	Reg.	X	X	33	0.210	583	30	X	2017
338 Edge	All Cases		X	X	33	0.210	533	30	X	
340 Wby. Mag.	All Cases				33	0.210	533	30 Spl.		
348 Win.	All Cases	Reg.	X		348	0.210	610	30		
35 Win.	All Cases				35	0.210	545	30		
35 Rem.	All Cases	Reg.			35	0.210	460	30		
35 Whelen	All Cases	Reg.	X		35	0.210	475	30		
350 Rem. Mag	All Cases	Adj.	X		35	0.210	533	30		
357 Mag	Q/Pistol	CL/Pistol				0.175	440	30		
358 Win.	F/N	Reg.	X		35	0.210	475	30		
358 Norma Mag.	F/N	Adj.			35	0.210	533	30 Spl.		
9mm Luger	Pistol	CL/Pistol				0.175	408	30		
375 Win.	All Cases	C.Length			375	0.210	506	30		
375 H&H Mag.	All Cases	Adj.			375	0.210	533	30		
375 Wby. Mag.	All Cases				375	0.210	533	30		
375 Ruger	All Cases				375	0.210	533	30		
378 Wby. Mag.	All Cases	Adj.			375	0.210	583	30		
38 - 40	All Cases	Reg.				0.210	533	30		
38 - 55	F/N	C.Length				0.210	515	30		
38 Spl.	Q/Pistol	CL/Pistol				0.175	440	30		
380 Auto		Pistol				0.175	380	30		
38 Super Auto	Q/Pistol	Pistol				0.175	408	30		
40 S&W	Pistol	Pistol				0.175	440	30		
10mm Auto	Pistol	Pistol				0.210	440	30		
41 Mag	Q/Pistol	CL/Pistol				0.210	506	30		
444 Marlin	All Cases	C.Length				0.210	515	30		
44 Mag	Q/Pistol	CL/Pistol				0.210	515	30		
44 Spl.	Q/Pistol	CL/Pistol				0.210	515	30		
44 - 40	All Cases	Reg.				0.210	533	30		
44 Russian	Q/Pistol					0.210	515	30		
45 - 70	F/N	C.Length			458	0.210	610	30		
45 Auto	Pistol	CL/Pistol				0.210	485	30		
454 Casull	Q-type	Pistol				0.210	515	30		
45 Colt same as long	Q/Pistol	CL/Pistol				0.210	515	30		
45 Colt Long	Q/Pistol	CL/Pistol				0.210	515	30		
458 Win. Mag.	F/N	C.Length			458	0.210	533	30		
460 Wby. Mag.	All Cases	Adj.			458	0.210	583	30		
500 S&W	Q-type	Pistol				0.210	583	30		
50 BMG	All Cases	Reg.			50 Cal	50 Cal	50 Cal Set			
50 DTC	All Cases				50 Cal	50 Cal	50 Cal Set			